

Liquid crystalline cellulose-based responsive materials

Ana Almeida¹, Filipa Gonçalves¹, Pedro Silva¹, Susete Fernandes¹, Pedro Almeida², J.P. Canejo¹, Maria Helena Godinho^{1*}

¹CENIMAT/I3N, Department of Materials Science, Faculty of Science and Technology, Universidade NOVA de Lisboa, 2829-516 Caparica, Portugal

²Área Departamental de Física, Instituto Superior de Engenharia de Lisboa, Instituto Politécnico de Lisboa, 1959-007 Lisbon, Portugal

Hierarchical cellulose nano, micro and meso structures make the structural support of plants being the self-assembly of cellulose units vital to the plants particularly in dead tissues. Some plants depend on the response of these structures to humidity to disperse their seeds [1]. Cellulose nano rods that can be isolated from different tissues of the plants have not the same characteristics but if the experimental conditions are well selected liquid crystalline order in water can be displayed. In this talk cellulose-based films and fibers responsive to water are obtained from liquid crystalline systems and characterized by several techniques, which include scanning electron microscopy (SEM), polarized optical microscopy (POM) and mechanical essays. The properties of the materials produced are compared with cellulose anisotropic structures existing in plants [3]. Particular attention will be dedicated to helical micro/filaments and ribbons, essentially formed by cellulose that can be isolated from plant petiole tracheary elements and dead tissues [3]. Relations between morphology/properties are made in order to use the cellulose/micro-nano structures for soft responsive materials.

Acknowledgements

This work is funded by FEDER funds through the COMPETE 2020 Program and National Funds through FCT - Portuguese Foundation for Science and Technology under the projects numbers POCI- 01-0145-FEDER-007688 (Reference UID/CTM/50025) and M-era.Net, cellcolor, 4227, 2017.

[1] H. Aharoni, Y. Abraham, R. Elbaum, E. Sharon, R. Kupferman, Emergence of Spontaneous Twist and Curvature in Non-Euclidean Rods: Application to Erodium Plant Cells, PRL, 108, 238106, 2012.

[2] L.E. Aguirre, A. de Oliveira, D. Sec, S. Copar, P.L. Almeida, M. Ravnik, M.H. Godinho and S. Žumer, Sensing surface morphology of biofibers by decorating spider silk and cellulosic filaments with nematic microdroplets, PNAS, 113(5), 1174–1179, 2016.

[3] A.P.C. Almeida, J.P. Canejo, S.N. Fernandes, C. Echeverria, P.L. Almeida, M.H. Godinho, Cellulose-based Biomimetics and Their Applications, Advanced Materials, 10.1002/adma.201703655, 2018.